



भारत का राजपत्र The Gazette of India

सी.जी.-डी.एल.-अ.-04082021-228737
CG-DL-E-04082021-228737

असाधारण
EXTRAORDINARY

भाग II—खण्ड 3—उप-खण्ड (ii)
PART II—Section 3—Sub-section (ii)

प्राधिकार से प्रकाशित
PUBLISHED BY AUTHORITY

सं. 2896]
No. 2896]

नई दिल्ली, बुधवार, अगस्त 4, 2021/श्रावण 13, 1943
NEW DELHI, WEDNESDAY, AUGUST 4, 2021/SHRAVANA 13, 1943

सड़क परिवहन और राजमार्ग मंत्रालय

अधिसूचना

नई दिल्ली, 3 अगस्त, 2021

का.आ. 3122(अ).— मोटरयान अधिनियम, 1988 की धारा 58 की उपधारा (3) एवं धारा 110 की उपधारा (3) (ए) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, केन्द्र सरकार एतद्वारा जारी करने से 180 दिनों की अवधि के लिए एक स्टेटर को सानंद से ओबरा तक सड़क यातायात हेतु धुरियों को जोड़ने हेतु जिनका अधिकतम सुरक्षित लदान भार/कुल सकल भार और आकार संलग्न अनुसूची में उल्लिखित है, अनुमोदन प्रदान करती है-

अनुसूची

- मै. एन.टी.सी. लाजिस्टिक्स प्रा. लि., चेन्नई, उपरोक्त फेरा के लिए मै. जीई पावर, के लिए यातायात कम्पनी है।
- उपरोक्त फेरा में दो प्राईम मूवर्स जिनकी रेजिस्ट्रीकरण संख्या केए01एजे9616 और केए01एजे9617 है, इस्तेमाल किए जाएंगे।
- उपरोक्त एक फेरे के लिए निम्नलिखित स्वतंत्र हाईड्रोलिक ट्रैलर्स इस्तेमाल किए जाएंगे :-

ट्रैलरों की रेजिस्ट्रीकरण संख्या	ट्रैलरों में धुरियों की संख्या	ट्रैलरों में पहियों की संख्या	अनुमेय सकल यान भार (टन में)	यान का प्रति धुरी सकल भार (टन में)
एम एच 46 एच 3383	6	48	108 (18x6)	

एम एच 46 एच 4658	4	32	72 (18x4)	18.56
एचआर 55 पी 8002	6	48	108((18x6)	
एम एच 46 एच 3373	4	32	72 (18x4)	
एम एच 46 एच 3374	4	32	72 (18x4)	

4. यान और भार विन्यास:- लदी स्थिति में धुरी का सकल यान भार (जीवीडब्ल्यू) और खेप का समग्र आयाम होगा: -

खाली भार (टन में)	स्टेटर का भार (टन में)	धुरियों का कुल सकल भार	खेप का समग्र आयाम (मिमी में) (लंबाई x चौड़ाई x ऊँचाई)	लंबाई और चौड़ाई में धुरों के युग्मन का विवरण
24 खाली धुरी पंक्तियों का भार: 81.57 टन	364.06 टन	445.63 टन	10467x4260x4420	24 धुरी पंक्तियों को लंबाई में जोड़ा जाएगा (एक धुरी पंक्ति में 8 पहिया)

5. उपरोक्त छूट इन शर्तों के अधीन है कि:-

- उपरोक्त कन्साइनमेंट के यातायात हेतु विशेष रास्ता सानंद - वीरमगाम - मेहसाणा - पालनपुर - पिंडवाड़ा-मंगलवाड - चित्तौड़गढ़ - भीलवाड़ा - नसीराबाद - किशनगढ़ - जयपुर बाई पास - भरतपुर - धौलपुर - ग्वालियर-शिवपुरी - झाँसी - सागर - नरसिंह पुर - सिवनी - कुरई घाट - रामटेक - नागपुर बाईपास - भंडारा - साकोली - राजनंद गाँव - दुर्ग - भिलाई - रायपुर - बिलासपुर - रतनपुर - कटघोरा - अंबिकापुर - वड्डाफ नगर - रेणुकूट - ओबरा है।
- लो.नि.वि./स्थानीय प्राधिकारियों/भारतीय राष्ट्रीय राजमार्ग प्राधिकरण द्वारा विभिन्न सड़कों के लिए विनिर्दिष्ट भार प्रतिबंधों का अनुपालन किया जाएगा और यानों को प्रत्येक बार सड़कों पर लाते समय इन प्राधिकारियों से अनुमति ली जाएगी। सुरक्षा की दृष्टि से ट्रैलरों का प्रत्येक प्रचालन राज्य/संघ शासित प्रदेश/भारतीय राष्ट्रीय राजमार्ग प्राधिकरण के संबंधित परिवहन विभाग द्वारा अनुमोदित किया जाएगा और उसपर कड़ी निगरानी रखी जाएगी।
- ट्रांसपोर्टर इस तरह के प्रतिबंधों का पालन करेगा जैसा कि राज्य / केंद्र शासित प्रदेश सरकार / भारतीय राष्ट्रीय राजमार्ग प्राधिकरण इस संबंध में आदेश द्वारा निर्दिष्ट कर सकता है।
- ट्रांसपोर्टर ऐसे यानों की प्रत्येक आवाजाही के संबंध में राज्य सरकार/भारतीय राष्ट्रीय राजमार्ग प्राधिकरण द्वारा इस संबंध में निर्दिष्ट प्राधिकरण या अधिकारी को कम से कम दस दिन पहले सूचना देगा।
- यदि ऐसा किसी राज्य/संघ राज्य क्षेत्र/भारतीय राष्ट्रीय राजमार्ग प्राधिकरण के लोक निर्माण विभाग द्वारा निर्देशित किया जाता है, तो लोडेड यानों को उस राज्य/संघ राज्य क्षेत्र में सड़कों पर पुलों के ऊपर या नीचे से गुजरने की अनुमति नहीं दी जाएगी और ऐसे मामलों में आवेदकों को नदियों/नालों को पार करने के लिए अपनी व्यवस्था स्वयं करनी होगी।

- (vi) ट्रांसपोर्टर को बड़े आकार के कार्गो को देखते हुए, संबंधित राज्य या केंद्र शासित प्रदेश प्राधिकरणों / भारतीय राष्ट्रीय राजमार्ग प्राधिकरण से आगे बढ़ने से पहले अनुमति प्राप्त करने की आवश्यकता होगी। ऐसे प्रत्येक गमनागमन के लिए संबंधित प्राधिकारी द्वारा समय निर्धारित किया जाना चाहिए।
- (vii) ट्रांसपोर्टर राज्य / केंद्र शासित प्रदेश / भारतीय राष्ट्रीय राजमार्ग प्राधिकरण या किसी अन्य प्रभावित व्यक्ति को ऐसी राशि का भुगतान करने के लिए उत्तरदायी होगा जहां सड़कों या सड़क संरचनाओं / अन्य सड़क उपयोगकर्ताओं / व्यक्ति को प्रत्यक्ष या अप्रत्यक्ष रूप से कोई नुकसान ट्रेलरों की आवाजाही के कारण होता है।
- (viii) सड़क की लंबाई के साथ ट्रेलरों के युग्मन की अनुमति केवल उपरोक्त आवाजाही के लिए होगी।
- (ix) उक्त यानों का परिवहन, यातायात के सामान्य प्रवाह में बिना किसी बाधा के होना चाहिए।
- (x) यान पर खतरे संबंधी सभी झंडियां और बत्तियां लगी होनी चाहिए, बेहतर यह होगा कि लदे यानों के आगे तथा पीछे एक-एक यान स्पष्ट रूप से यह दर्शाता हुआ चले कि भारी लदा हुआ वाहन गुजर रहा है।
- (xi) सड़क पर चलने के लिए ट्रेलरों की अधिकतम गति 10 कि.मी./घंटा से अधिक नहीं होनी चाहिए।
- (xii) ट्रेलरों की संपूर्ण चौड़ाई में अगले एवं पिछले हिस्से पर पीले एवं काले रंग से जेबरा पट्टी बनाई जाएगी और उस पर रात्रि के समय चलाने के लिए विधिवत लिखा होना चाहिए/पार्किंग के लिए आगे, और पीछे समुचित रूप से लाल बत्ती होनी चाहिए तथा दिन में दोनों ओर लाल झण्डी लगाई जाएगी, जिससे यान की सही-सही स्थिति का स्पष्ट रूप से पता चल सके।
- (xiii) ट्रांसपोर्टर यह सुनिश्चित करेगा कि उपरोक्त आवाजाही के दौरान उपयोग किए जाने वाले सभी यानों के संबंध में रोड टैक्स का भुगतान किया गया है, फिटनेस प्रमाण पत्र, बीमा कवर (तृतीय पक्ष बीमा सहित), राष्ट्रीय परमिट और पीयूसी प्राप्त किया गया है।
- (xiv) प्रत्येक स्टेटर के यातायात हेतु समायोजन में 2 प्राईम मूवर होंगे।
- (xv) ट्रेलरों और प्राइम मूवर्स के रेजिस्ट्रीकरण प्रमाणपत्रों में कोई बदलाव नहीं किया जाएगा क्योंकि वे पहले से ही महाराष्ट्र, कर्नाटक और हरियाणा राज्य में रेजिस्ट्रीकृत हैं।
- (xvi) किसी यान (यानों) या अन्य रेजिस्ट्रीकृत स्वामियों से प्राप्त यान (यानों) के भाग से उत्पन्न होने वाले मुद्दे की स्थिति में, ट्रांसपोर्टर स्वयं जिम्मेदार होगा।
- (xvii) खेप के परिवहन के दौरान उत्पन्न होने वाली किसी भी प्रकृति का कोई भी मुद्दा, ट्रांसपोर्टर की जिम्मेदारी होगी।

[फा. सं. आरटी-11042/04/2020-एमवीएल]

अमित वरदान, संयुक्त सचिव

MINISTRY OF ROAD TRANSPORT AND HIGHWAYS

NOTIFICATION

New Delhi, the 3rd August, 2021

S.O. 3122(E).— In exercise of the powers conferred by sub-section (3) of Section 58 and sub-Section 3(a) of Section 110 of the Motor Vehicles Act, 1988, the Central Government hereby accords approval for a period of 180 days from the issue of this notification for transportation of one “Stator” from Sanand to Obra by road with maximum safe laden weight/Gross Vehicles Weight and dimensions as mentioned in the schedule appended hereto.

SCHEDULE

1. M/s. NTC Logistics India Pvt. Ltd., Chennai is the transporter of M/s. GE Power for the aforesaid single movement.
2. Two Prime Movers bearing registration KA01AJ9616 and KA01AJ9617 will be utilized in the above movement.
3. The following independently registered hydraulic Trailers will be utilized in the above movements:-

Registration No. of Trailers	No. of Axles in Trailers	No. of Tyres in Trailers	Permissible Gross Vehicle Weight (in Tons)	Per Axle GVW of the vehicle (in Tons)
MH46H3383	6	48	108 (18x6)	18.56
MH46H4658	4	32	72 (18x4)	
HR55P8002	6	48	108((18x6)	
MH46H3373	4	32	72 (18x4)	
MH46H3374	4	32	72 (18x4)	

4. Vehicle and Load Configuration:- Gross Vehicle Weight (GVW) of the axles in laden condition and overall dimension of consignment will be :-

Unladen Weight in Tons	Weight of Sator in Tons	GVW of the axles	Overall dimension of consignment (in mm) (length x Width x Height)	Description of Coupling of axles in length and width
Unladen weight of 24 axle rows : 81.57 Tons	364.06 Tons	445.63MT	10467 x 4260 x 4420	24 axle rows will be coupled along length (8 tyres per axle row).

5. The above relaxation is subject to the conditions that :-

- i. The specific route for transportation of the consignment will be from Sanand – Viramgam – Mehsana – Palanpur – Pindwara - Mangalwad – Chittogarh – Bhilwara – Nasirabad – Kishangarh – Jaipur bypass – Bharatpur – Dholpur – Gwalior – Shivpuri – Jhansi – Sagar – Narsinghpur – Seoni – KuraiGhat – Ramtek – Nagpur bypass – Bhandara – Sakoli – Rajnandgaon – Durg – Bhilai – Raipur – Bilaspur – Ratanpur – Katghora – Ambikapur – Wadraf Nagar – Renukoot – Obra.
- ii. Load restrictions on various roads stipulated by the Public Works Department/Local Authorities/National Highway Authority of India will be observed and permission of such authorities will be obtained before the vehicles are put on the roads. Movement of the trailers will be approved and closely monitored by the concerned road authorities in State/Union Territory/National Highway Authority of India from Safety point of view.
- iii. The transporter will observe such restrictions as the State/Union Territory Government/National Highway Authority of India may by order specify in this behalf.
- iv. The transporter will give intimation at least ten days in advance to such authority or officer specified in this behalf by the State Government/National Highway Authority of India regarding each movement of such vehicles.
- v. If so directed by the Public works Department of a State/Union Territory/National Highway Authority of India, the loaded vehicles will not be allowed to pass over or under the bridges on the roads in that State/Union Territory and in such cases applicants will have to make their own arrangements to cross the rivers/drains.
- vi. The transporter would need to obtain permission before moving, from concerned State or union Territory Authorities/National Highway Authority of India en-route, in view of the oversized cargo. For each such movement, the timing should be prescribed by the concerned authority.
- vii. The transporter would be liable to pay such amount to the Government of State/Union Territory/National Highway Authority of India or any other affected person where any damage is caused to the roads or road structures/other road users/person directly or indirectly due to the movement of the trailers.

- viii. Coupling of the trailers along the length of the road will be permissible only for above movements.
- ix. The said vehicles should be moved without any hindrance to the normal flow of traffic.
- x. The vehicles should display all danger flags and lights, the vehicles should be preceded and followed by a vehicle displaying prominently that a heavy load is passing.
- xi. The maximum speed of the trailers for movement on the road shall not exceed 10 km/hr.
- xii. The trailers shall be painted for the entire width by yellow and black zebra stripes on the front and rear sides duly marked for night time driving/parking suitably by red lamps at the front and rear and red flags on both the sides during day time to indicate the extreme position of the vehicle clearly.
- xiii. The transporter will ensure that road tax have been paid, fitness certificate, insurance cover(including Third Party Insurance), National Permit, and PUC have been obtained in respect of all the vehicles to be utilized during the above movement.
- xiv. Each set of vehicles for transportation of Stator will consist of 2 Prime Movers.
- xv. No change will be made in the Registration Certificates of the Trailers and Prime Movers as they are already registered in the State of Maharashtra, Karnataka, and Haryana.
- xvi. In case of issues arising of any vehicle(s) or part of vehicle(s) out sourced from other registered owners, the transporter shall be responsibility for the same.
- xvii. Any issue of any nature arising during the transportation of subject consignment shall be the responsibility of the transporter.

[F. No. RT-11042/04/2020-MVL]

AMIT VARADAN, Jt. Secy.